

AIR Q 1200

Application

Targeted for professional use, in direct diffusion or through an HVAC system

Technical Characteristics

Reference: Air Q 1200, Model AQ1200
Type: 1 Head Nebuliser
Particle Diameter: 300 nm to 1 micron

Power Input

Input: 100-240 VAC at 0.6 A
Frequency: 50/60 Hz
Protection: Switching power supply
Internal Power: 12 VDC at 1.5 A
Backup Battery: Lithium 3V, #CR2032

Performance

Up to 4250 cubic metres served
Programmable start/stop times (up to 3 per day)
50 adjustable output settings
Top output location

Wall Mounting Mechanism

Built in mounting holes
4 orifices - 254mm x 375mm
Mounting screws included

Cartridges

1 x 1.25 litre cartridge containing fragrance and odour treatment products

Dimensions

Height x Width x Depth: 394mm x 340 mm x 172mm
Total Weight: 6.2 kg

Enclosure & Environment

Fiberglass with swinging door, NEMA 4
0 to 40 degrees Celsius operating temperature
85% or less operating relative humidity

Accessories

Soft silicone hose and injector tube for distant output, air filter and padlock with key



the odour management experts

Odour Control Systems (Aust) Pty Ltd
P O Box 179 Islington NSW 2296
P: (02) 4907 8200 F: (02) 4969 4218
www.odours.com.au info@odours.com.au

